



Building with conscience.

StoColor[®] Metallic

Standard Metallic Color Collection

Facades




Interiors



StoColor[®] Metallic offers designers further flexibility and expands the already extensive creative options under the Sto umbrella with the ability to achieve a metallic panel look with a variety of color and texture options.







StoColor Metallic Color Collection

StoColor Metallic is accomplished by combining two Sto products – StoColor Metallic Base and StoColor Metallic Top Coat over either smooth or textured surfaces. Options abound with StoColor Metallic both in color selection and surface application. With the new StoColor Metallic in their repertoire, designers will have creative freedom to follow their inspiration.

StoColor System

- Quick and easy to understand thanks to a clear, logical system construction
- Offers a harmonic, finely tailored selection of color for interior and exterior use
- Is ergonomic and perception oriented for all phases of color selection and implementation

Colección de colores Metálicos StoColor

Los colores metálicos de StoColor se logran combinando dos productos: el StoColor Metallic Base y el StoColor Metallic Top Coat, sobre superficies lisas o con texturas. Las opciones abundan con los colores metálicos de StoColor, tanto en la selección de colores como en la aplicación en las superficies. Con el nuevo repertorio, los diseñadores tendrán gran libertad creativa para desarrollar su inspiración.

Sistema StoColor

- Fácil de comprender, debido a su presentación clara y lógica
- Ofrece una selección armónica y a la medida, de colores para interiores y exteriores
- Es ergonómico y orientado hacia toda fase para la selección e implementación de colores

Light Reflectance Value / Valor Reflejante de Luz

Light Reflectance Value

Value for the quantity of light reflected from the surface. Measured in percent 100 % = white, 0 % = black

73 *

Valor Reflejante de Luz

Valor, en por ciento, que mide la cantidad de luz reflejada por la superficie: 100% = Blanco, 0% = Negro

*Please note that certain dark and/or saturated colors may incur increased costs due to high tint charges.

*Tenga presente que ciertos colores oscuros y/o saturados pueden incurrir en mayores costos debido a los elevados costos de los colorantes.

Most Popular Textures; Las texturas más populares



Fine

Bavarian Wheat



Medium

Revere Pewter



Swirl

Akoya Pearl



Stolit® Milano

Italian Alabaster

Please note

The colors presented on this chart are representations. Actual color of manufactured product may vary slightly from the chart. Color perception is affected by degree of gloss, texture, and lighting conditions. For best results always request a product sample, select color under natural lighting conditions, and construct full scale job site mock ups for final color approval.

Minor shade variations may occur from batch to batch (refer to batch no. on pail). Avoid installing separate batches side by side and avoid application in direct sunlight. Avoid installing new finish adjacent to weathered or aged finish. Sto Corp. will not be responsible for shade or color variation from batch to batch, variation caused by application or substrate deficiencies, or fading resulting from natural causes such as weather. See Sto Tech Hotline Nos. 0694-C, 0893-EC and 1202-CF for helpful tips on prevention of color problems.

For Exterior Insulation and Finish Systems (EIFS) select colors with light reflectance value of 20% or greater.

Por Favor Nota

Los colores que aparecen en este muestrario son representaciones. El color real del producto puede variar ligeramente con el del muestrario. El color percibido es afectado por el grado de brillantez, la textura y las condiciones de luz. Para la obtención de los mejores resultados, deberá siempre solicitar una muestra del producto, seleccionar el color bajo condiciones de luz natural, y elaborar muestras en la obra misma para la aprobación final del color.

Pueden presentarse pequeñas variaciones en el tono, de remesa a remesa (favor de referirse al número de remesa en la cubeta). Evite aplicar adjuntas remesas diferentes, así como a la luz solar directa. Igualmente, evite aplicar el acabado nuevo adjunto a acabados viejos o intemperizados. Sto Corp. no se responsabiliza por la variación en color o tono de remesa a remesa, al método de aplicación, deficiencias en la base, o por decoloración debido a causas naturales como el clima.

Favor de consultar a los Nos. 0694-C, 0893-EC y 1202-CF de Sto Tech Hotline para recibir indicaciones para prevenir problemas.

Para Sistemas de Aislamiento Exterior y Acabado (EIFS), seleccione colores con un valor reflejante de luz del 20% o mayor.



Lancaster Nickel █ 61
Base: 37204
Top Coat: 301



Revere Pewter █ 49
Base: 37202
Top Coat: 301



Sonoran Tan █ 63
Base: 31234
Top Coat: 301



Keweenaw Bronze █ 31
Base: 32242
Top Coat: 303



Bavarian Wheat █ 64
Base: 32113
Top Coat: 302



Luxor Gold █ 46
Base: 31300
Top Coat: 304



Colombian Copper █ 33
Base: 32241
Top Coat: 303



Akoya Pearl █ 69
Base: 33114
Top Coat: 301



Patagonia Dusk █ 55
Base: 34321
Top Coat: 301



Curacao Sky █ 42
Base: 35312
Top Coat: 305



Italian Alabaster █ 77
Base: 16004
Top Coat: 301



Havasus Teal █ 48
Base: 36120
Top Coat: 301



Shanghai Crimson █ 16*
Base: VT206530
Top Coat: 306



Cosmic Blue █ 12*
Base: VT100057
Top Coat: 307



Valencia Orange █ 40
Base: 32201
Top Coat: 304



A broader palette for greater creativity

Inspiration favors the open mind. With Sto, your creative exploration can take you anywhere. Our proven products give you unmatched freedom and the ability to achieve your vision in any color, any form, any texture, any material. StoColor Metallic opens up even more creative roads down which designers can venture. Any gleaming idea that comes into their mind now has a metallic Sto solution, unrestricted by hue or texture. Your creative freedom should have no limits.

To learn more about the solutions Sto can provide for you, contact us by calling 1-800-221-2397 or visit us at www.stocorp.com.

Creativity Begins. **Sto Finishes.**®



Sto Americas

Sto Corp.
3800 Camp Creek Pkwy
Building 1400, Suite 120
Atlanta, GA 30331
USA

Phone 1-800-221-2397
www.stocorp.com

ATTENTION

Sto products are intended for use by qualified professional contractors, not consumers, as a component of a larger construction assembly as specified by a qualified design professional, general contractor or builder. They should be installed in accordance with those specifications and Sto's instructions. Sto Corp. disclaims all, and assumes no, liability for on-site inspections, for its products applied improperly, or by unqualified persons or entities, or as part of an improperly designed or constructed building, for the nonperformance of adjacent building components or assemblies, or for other construction activities beyond Sto's control. Improper use of Sto products or use as part of an improperly designed or constructed larger assembly or building may result in serious damage to this product, and to the structure of the building or its components. **STO CORP. DISCLAIMS ALL WARRANTIES EXPRESSED OR IMPLIED EXCEPT FOR EXPLICIT LIMITED WRITTEN WARRANTIES ISSUED TO AND ACCEPTED BY BUILDING OWNERS IN ACCORDANCE WITH STO'S WARRANTY PROGRAMS WHICH ARE SUBJECT TO CHANGE FROM TIME TO TIME.** For the fullest, most current information on proper application, clean-up, mixing and other specifications and warranties, cautions and disclaimers, please refer to the Sto Corp. website, www.stocorp.com.