

# StoQuik® Silver DrainScreen™ System Components

Wood Frame **Sheathing Sto Joint Treatment** (Refer to Sto Detail 11.09 DS) StoGuard® Waterproof Air Barrier Membrane Sto DrainScreen™ **Cement Board** Sto Base Coat and StoGuard® Mesh Sto Base Coat and Sto Mesh **Sto Primer** Sto Finish (smooth or textured) StoGuard® Waterproof Air Barrier Membrane **Sto Joint Treatment** (Refer to Sto Detail 15.09 DS) **Starter Track** (with weep holes) Property of Sto Corp. All Rights Reserved.

#### **Notes:**

 Detail shows the installation of StoQuik® Silver DrainScreen™over a wood frame wall.

Detail No.: 11.01 DS

**Date: January 2015** 

#### **Sto Materials:**

- 1. Sto joint treatment
- 2. StoGuard® Mesh
- 3. StoGuard® Waterproof Air Barrier Membrane options:
  - a. StoGuard®Gold Coat® (vapor permeable)
  - b. StoGuard®EmeraldCoat® (high perm)
  - c. StoGuard®VaporSeal<sup>™</sup> (vapor impermeable)
- 4. Sto DrainScreen™
- 5. StoQuik® Silver Finish Components:
  - a. Sto Guard Mesh
  - b. Sto Base Coat
  - c. Sto Mesh
  - d. Sto Primer (optional component)
  - e. Sto Finish

### Accessory Materials:

(including means for fastening)

- 1. Starter Track
- 2. Other accessories as may be required.

(e.g. casing beads, control joints, etc.)

IMPORTANT: Components not identified as Sto are furnished by other manufacturers and are not necessarily installed by trades who install the Sto products. Refer to project specific contract documents.

## ATTENTION www.stocorp.com

Sto products are intended for use by qualified professional contractors, not consumers, as a component of a larger construction assembly as specified by a qualified design professional, general contractor or builder. They should be installed in accordance with those specifications and Sto's instructions. Sto Corp. disclaims all, and assumes no, liability for on-site inspections, for its products applied improperly, or by unqualified persons or entities, or as part of an improperly designed or constructed building, for the nonperformance of adjacent building components or assemblies, of for other construction activities beyond Sto's control. Improper use of Sto products or use as part of an improperly designed or constructed larger assembly or building may result in serious damage to Sto products, and to the structure of the building or its components.